

PAC030Mu01

Polyclonal Antibody to Creatine Kinase B (CK-BB)

Organism Species: *Mus musculus* (Mouse)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Traits: Liquid

Concentration: 0.5mg/ml

UOM: 100µl

Cross Reactivity: Human;Rat

Applications: WB; IHC; ICC; IP.

[IMMUNOGEN]

Immunogen: Recombinant CK-BB (Lys11~Leu367) expressed in *E.coli*

Accession No.: RPC030Mu01

[APPLICATIONS]

Western blotting: 0.5-2µg/mL;

Immunohistochemistry: 5-20µg/mL;

Immunocytochemistry: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02% NaN₃, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.



Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no

obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[IDENTIFICATION]



DAB staining on IHC-P;	Western Blot; Sample: Lane1: Mouse
Samples: Mouse Stomach Tissue;	Cerebrum lysate; Lane2: Fetal Mouse
Primary Ab: 10µg/ml Rabbit Anti-Mouse	lysate; Lane3: Mouse Skeletal muscle
CKB Antibody	lysate; Lane4: Human Hela cell lysate;
Second Ab: 2µg/mL HRP-Linked	Lane5: Human 293T cell lysate
Caprine Anti-Rabbit IgG Polyclonal	Primary Ab: 1µg/mL Rabbit Anti-Mouse
Antibody	CKB Antibody
(Catalog: SAA544Rb19)	Second Ab: 0.2µg/mL HRP-Linked
	Caprine Anti-Rabbit IgG Polyclonal
	Antibody
	(Catalog: SAA544Rb19)

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.