RPE212Ra01 10μg Recombinant Elastase 3B (ELA3B) Organism Species: Rattus norvegicus (Rat) *Instruction manual* 

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

# Coud-Clone Corp.

# [PROPERTIES]

Source: Prokaryotic expression. Host: *E. coli* Residues: Val28~Asn269 Tags: N-terminal His-Tag Tissue Specificity: Pancreas. Purity: >92% Traits: Freeze-dried powder Buffer formulation: 10mM PBS, pH7.4, containing 1mM DTT, 5% trehalose, 0.01% sarcosyl and Proclin300. Original Concentration: 200µg/mL Applications: Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 5.6 Predicted Molecular Mass: 27.3kDa

Accurate Molecular Mass: 27kDa as determined by SDS-PAGE reducing conditions.

# [ <u>USAGE</u> ]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [SEQUENCE]

VVN GEDAVPYSWP WQVSLQYEKD GSFHHTCGGT LIAPDWVMTA GHCISTSRTY QVVLGEFERG VEEGPEQVIP VNAGDLFVHP KWNSNCVSCG NDIALVKLSR SAQLGDTVQL ACLPPAGEIL PNGAPCYISG WGRLSTNGPL PDKLQQALLP VVDYAHCSKW DWWGFSVKKT MVCAGGDIQS GCNGDSGGPL NCPAENGTWQ VHGVTSFVSS LGCNTLKKPT VFTRVSAFNE WIEETIANN

## [IDENTIFICATION]




Figure 1. SDS-PAGE