

RPB608Hu02 500µg Recombinant Glucocorticoid Receptor (GR) Organism Species: *Homo sapiens (Human) Instruction manual* 

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

# Cond-Clone Corp.

## [PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Leu532~Glu730

Tags: Two N-terminal Tags, His-tag and SUMO-tag

Subcellular Location: Plasma, Nucleus, Mitochondrion, Chromosome

**Purity:** > 97%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 50µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.3

Predicted Molecular Mass: 38.2kDa

Accurate Molecular Mass: 38kDa as determined by SDS-PAGE reducing conditions.

#### [<u>USAGE</u>]

Reconstitute in  $ddH_2O$  to a concentration of 0-0.1 mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

#### [SEQUENCE]

## Cond-Clone Corp.

LVSLLEVIE PEVLYAGYDS SVPDSTWRIM TTLNMLGGRQ VIAAVKWAKA IPGFRNLHLD DQMTLLQYSW MFLMAFALGW RSYRQSSANL LCFAPDLIIN EQRMTLPCMY DQCKHMLYVS SELHRLQVSY EEYLCMKTLL LLSSVPKDGL KSQELFDEIR MTYIKELGKA IVKREGNSSQ NWQRFYQLTK LLDSMHEVVE

### [IDENTIFICATION]




Figure. SDS-PAGE

#### [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.