

MAA109Hu25

Monoclonal Antibody to Creatine Kinase, Muscle (CKM)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Monoclonal antibody preparation

Host: Mouse

Antibody isotype: IgG2a Kappa

Purification: Protein A + Protein G affinity chromatography

Clone number: H15

Traits: Liquid

Concentration: 1mg/mL

UOM: 100μg(100μL)

Cross Reactivity: Mouse; Rat

Applications: WB; IHC

[IMMUNOGEN]

Immunogen: Recombinant CKM (Lys11~Leu367) expressed in E.coli

Accession No.: RPA109Hu01

[APPLICATIONS]

Western blotting: 0.01-2µg/mL;

Immunohistochemistry: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no

Coud-Clone Corp.

obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[IDENTIFICATION]




Western Blot; Sample: Lane1: Human Serum; Lane2: Hela cell lysate; Lane3: Rat Heart lysate; Lane4: Mouse Heart lysate Primary Ab: 0.1µg/ml Mouse Anti-Human CKM Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Mouse IgG Polyclonal Antibody (Catalog: SAA544Mu19)



DAB staining on IHC-P; Sample: Rat
Cardiac Muscle Tissue; Primary Ab:
20µg/ml Mouse Anti-Human CKM
Antibody Second Ab: 2µg/mL HRPLinked Caprine Anti-Mouse IgG
Polyclonal Antibody (Catalog:
SAA544Mu19)


DAB staining on IHC-P;
Sample: Rat Skeletal muscle Tissue;
Primary Ab: 20µg/ml Mouse AntiHuman CKM Antibody
Second Ab: 2µg/mL HRP-Linked
Caprine Anti-Mouse IgG Polyclonal
Antibody

(Catalog: SAA544Mu19)



DAB staining on IHC-P;
Sample: Rat Cardiac Muscle Tissue
Primary Ab: 20µg/ml Mouse AntiHuman CKM Antibody
Control: Used PBS instead of primary
antibody
Second Ab: 2µg/ml HRP-Linked
Caprine Anti-Mouse IgG Polyclonal

Antibody



DAB staining on IHC-P;
Sample: Rat Skeletal muscle Tissue
Primary Ab: 20µg/ml Mouse AntiHuman CKM Antibody
Control: Used PBS instead of primary
antibody
Second Ab: 2µg/ml HRP-Linked
Caprine Anti-Mouse IgG Polyclonal
Antibody



(Catalog: SAA544Mu19) (Catalog: SAA544Mu19)

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.