

MAB566Hu22

Monoclonal Antibody to Fatty Acid Binding Protein 1 (FABP1)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Monoclonal antibody preparation

Host: Mouse

Antibody isotype: IgG2b Kappa

Purification: Protein A + Protein G affinity chromatography

Clone number: 1#

Traits: Liquid

Concentration: 1mg/mL

UOM: 200µL

Cross Reactivity: Mouse; Rat; Porcine.

Applications: WB; IHC; ICC/IF

[IMMUNOGEN]

Immunogen: Recombinant FABP1 (Ser2~Ile127) expressed in E.coli

Accession No.: RPB566Hu01

[APPLICATIONS]

Western blotting: 0.01-4µg/mL;

Immunohistochemistry: 5-30µg/mL;

Immunofluorescence: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300,

50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined

Coud-Clone Corp.

by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

kDa

[IDENTIFICATION]




Western Blot; Samples: Lane1: Rat Liver lysate; Lane2: HUH7 cell lysate;

Primary Ab: 0.2µg/ml Mouse Anti-

Human FABP1 Antibody

Western Blot; Sample: Porcine Liver lysate Primary Ab: 0.2µg/ml Mouse Anti-

kDa



Western Blot; Sample: Human Liver

lysate:


Second Ab: 0.2µg/ml HRP-Linked Caprine Anti-Mouse IgG Polyclonal Antibody


Human FABP1 Antibody Second Ab: 0.2µg/ml HRP-Linked Caprine Anti-Mouse IgG Polyclonal Antibody

(Catalog: SAA544Mu19)

(Catalog: SAA544Mu19)

(Catalog: SAA544Mu19)





DAB staining on IHC-P; Sample: Mouse Liver Tissue

Sample: HepG2 cell Primary Ab: 20µg/ml Mouse Anti-

AF488 staining on IF;

Human Liver Tissue; Primary Ab: 20µg/ml Mouse Anti-Human FABP1 Antibody Second Ab: 2µg/mL HRP-

DAB staining on IHC-P; Samples:

Primary Ab: 30µg/ml Mouse Anti-Human FABP1 Antibody Control: Used PBS instead of primary

Human FABP1 Antibody Second Ab: 2?g/ml AF488-Linked Caprine Anti-Mouse IgG Polyclonal Antibody

Linked Caprine Anti-Mouse IgG Polyclonal Antibody (Catalog:

> Second Ab: 2?g/ml HRP-Linked Caprine Anti-Mouse IgG Polyclonal

antibody

SAA544Mu19)

(Catalog: SAA544Mu11)



Antibody

(Catalog: SAA544Mu19)

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.