

MAA068Mu22

Monoclonal Antibody to Glial Fibrillary Acidic Protein (GFAP)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Monoclonal antibody preparation

Host: Mouse

Antibody isotype: IgG1 Kappa

Purification: Protein A + Protein G affinity chromatography

Clone number: D2

Traits: Liquid

Concentration: 1mg/mL

UOM: 100µL

Cross Reactivity: Rat

Applications: WB; IHC

[IMMUNOGEN]

Immunogen: Recombinant GFAP (Met70~Ile374) expressed in E.coli

Accession No.: RPA068Mu01

[APPLICATIONS]

Western blottin:g: 0.01-2µg/mL;

Immunohistochemistry: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no


Cloud-Clone Corp.

obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[IDENTIFICATION]



Western Blot; Sample: Lane1: Rat
Cerebrum lysate; Lane2: Rat
Cerebellum lysate Primary Ab: 2µg/ml
Mouse Anti-Mouse GFAP Antibody
Second Ab: 0.2µg/mL HRP-Linked
Caprine Anti-Mouse IgG Polyclonal
Antibody (Catalog: SAA544Mu19)



DAB staining on IHC-P; Samples:


Mouse Cerebellum Tissue; Primary Ab:


20µg/ml Mouse Anti-Mouse GFAP

Antibody Second Ab: 2µg/mL HRP
Linked Caprine Anti-Mouse IgG

Polyclonal Antibody (Catalog:


SAA544Mu19)





DAB staining on IHC-P;

(Catalog: SAA544Mu19)



DAB staining on IHC-P;
Sample: Mouse Cerebellum Tissue

Sample: Mouse Cerebrum Tissue Sample: Mouse Cerebellum Tissue

Primary Ab: 20µg/ml Mouse Anti-MousePrimary Ab: 20µg/ml Mouse Anti-Mouse

GFAP Antibody GFAP Antibody

Control: Used PBS instead of primary antibody antibody

Second Ab: 2µg/ml HRP-Linked

Caprine Anti-Mouse IgG Polyclonal

Antibody

Second Ab: 2µg/ml HRP-Linked

Caprine Anti-Mouse IgG Polyclonal

Antibody

(Catalog: SAA544Mu19)



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.