

MAB329Hu21

Monoclonal Antibody to Microtubule Associated Protein 2 (MAP2)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



## [PROPERTIES]

**Source:** Monoclonal antibody preparation

Host: Mouse

Antibody isotype: IgG1 Kappa

**Purification:** Protein A + Protein G affinity chromatography

Clone number: C1

Traits: Liquid

Concentration: 1mg/mL

**UOM**: 10μg(10μL)

Cross Reactivity: Rat; Porcine

Applications: WB; IHC

## [ IMMUNOGEN ]

Immunogen: Recombinant MAP2 (Leu727~Asp985) expressed in E.coli

Accession No.: RPB329Hu01

### [ APPLICATIONS ]

Western blotting: 0.01-2µg/mL;

Immunohistochemistry: 5-30µg/mL;

Optimal working dilutions must be determined by end user.

#### [FORMULATION]

**Form & Buffer:** Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

### [ STORAGE AND STABILITY ]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no


# Cloud-Clone Corp.

obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [ IDENTIFICATION ]




Western Blot; Sample: Lane1: Porcine
Cerebrum Iysate; Lane2: Porcine
Cerebellum Iysate; Lane3: Rat
Cerebrum Iysate Primary Ab: 0.2µg/ml
Mouse Anti-Human MAP2 Antibody
Second Ab: 0.2µg/mL HRP-Linked
Caprine Anti-Mouse IgG Polyclonal
Antibody (Catalog: SAA544Mu19)




DAB staining on IHC-P; Sample: Rat
Cerebrum Tissue; Primary Ab: 20µg/ml
Mouse Anti-Human MAP2 Antibody
Second Ab: 2µg/mL HRP-Linked
Caprine Anti-Mouse IgG Polyclonal
Antibody (Catalog: SAA544Mu19)


DAB staining on IHC-P;
Sample: Rat Spinal cord Tissue;
Primary Ab: 20µg/ml Mouse AntiHuman MAP2 Antibody
Second Ab: 2µg/mL HRP-Linked
Caprine Anti-Mouse IgG Polyclonal
Antibody
(Catalog: SAA544Mu19)



DAB staining on IHC-P;
Sample: Rat Cerebellum Tissue;
Primary Ab: 20µg/ml Mouse AntiHuman MAP2 Antibody
Second Ab: 2µg/mL HRP-Linked
Caprine Anti-Mouse IgG Polyclonal
Antibody
(Catalog: SAA544Mu19)



DAB staining on IHC-P;
Sample: Rat Cerebrum Tissue
Primary Ab: 30µg/ml Mouse AntiHuman MAP2 Antibody
Control: Used PBS instead of primary
antibody
Second Ab: 2µg/ml HRP-Linked
Caprine Anti-Mouse IgG Polyclonal




DAB staining on IHC-P;
Sample: Rat Cerebellum Tissue
Primary Ab: 30µg/ml Mouse AntiHuman MAP2 Antibody
Control: Used PBS instead of primary
antibody
Second Ab: 2µg/ml HRP-Linked
Caprine Anti-Mouse IgG Polyclonal
Antibody

Antibody

# Coud-Clone Corp.

(Catalog: SAA544Mu19) (Catalog: SAA544Mu19)



DAB staining on IHC-P;

Sample: Rat Spinal cord Tissue

Primary Ab: 30µg/ml Mouse Anti-

Human MAP2 Antibody

Control: Used PBS instead of primary

antibody

Second Ab: 2µg/ml HRP-Linked

Caprine Anti-Mouse IgG Polyclonal

Antibody

(Catalog: SAA544Mu19)

### [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.