

MAD171Hu21

Monoclonal Antibody to Syntenin 2 (ST2)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Monoclonal antibody preparation

Host: Mouse

Antibody isotype: IgG1 Kappa

Purification: Protein A + Protein G affinity chromatography

Clone number: C1

Traits: Liquid

Concentration: 1mg/mL

UOM: 200µL

Cross Reactivity: Porcine.

Applications: WB; IHC

[IMMUNOGEN]

Immunogen: Recombinant ST2 (Met1~Ala292) expressed in E.coli

Accession No.: RPD171Hu01

[APPLICATIONS]

Western blotting: 0.01-5µg/mL;

Immunohistochemistry: 5-30µg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no

Coud-Clone Corp.

obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


[IDENTIFICATION]



Western Blot; Sample: K562 cell lysate
Primary Ab: 5?g/ml Mouse Anti-Human
ST2 Antibody

Second Ab: 0.2µg/mL HRP-Linked
Rabbit Anti-Mouse IgG Polyclonal
Antibody

(Catalog: SAA544Mu19)



DAB staining on IHC-P;
Samples: Human Liver Tissue;
Primary Ab: 30?g/ml Mouse AntiHuman ST2 Antibody
Second Ab: 2µg/mL HRP-Linked
Caprine Anti-Mouse IgG Polyclonal

Antibody
(Catalog: SAA544Mu19)

DAB staining on IHC-P;

Samples: Human Small intestine

Tissue;

Primary Ab: 30?g/ml Mouse Anti-

Human ST2 Antibody

Second Ab: $2\mu g/mL$ HRP-Linked

Caprine Anti-Mouse IgG Polyclonal

Antibody

(Catalog: SAA544Mu19)

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.