

PAB161Hu01

Polyclonal Antibody to Caspase 10 (CASP10)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.5mg/mL

UOM: 50µL

Cross Reactivity: Mouse; Porcine

Applications: WB; IHC

[IMMUNOGEN]

Immunogen: Recombinant CASP10 (Phe223~Gln459) expressed in E.coli

Accession No.: RPB161Hu01

[APPLICATIONS]

Western blotting: 0.01-5µg/mL;

Immunohistochemistry: 3-30µg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the

Coud-Clone Corp.

expiration date under appropriate storage condition.

[IDENTIFICATION]




DAB staining on IHC-P; Samples:
Human Small intestine Tissue; Primary
Ab: 20?g/ml Rabbit Anti-Human
CASP10 Antibody Second Ab:
2µg/mL HRP-Linked Caprine AntiRabbit IgG Polyclonal Antibody
(Catalog: SAA544Rb19)

DAB staining on IHC-P;
Samples: Human Colon Tissue;
Primary Ab: 30ug/ml Rabbit AntiHuman CASP10 Antibody
Second Ab: 2µg/mL HRP-Linked
Caprine Anti-Rabbit IgG Polyclonal
Antibody

(Catalog: SAA544Rb19)

DAB staining on IHC-P;
Samples: Human Lymphoma Tissue;
Primary Ab: 30ug/ml Rabbit AntiHuman CASP10 Antibody
Second Ab: 2µg/mL HRP-Linked
Caprine Anti-Rabbit IgG Polyclonal
Antibody

(Catalog: SAA544Rb19)



DAB staining on IHC-P;

Samples: Human Endometrial cancer

Tissue:

Primary Ab: 30ug/ml Rabbit Anti-Human CASP10 Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal


Antibody
(Catalog: SAA544Rb19)

DAB staining on IHC-P;

Samples: Human Liver cancer Tissue;

Primary Ab: 30ug/ml Rabbit Anti-Human CASP10 Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

(Catalog: SAA544Rb19)



DAB staining on IHC-P;

Sample: Human Endometrial cancer

Tissue

Primary Ab: 20µg/ml Rabbit Anti-

Human CASP10 Antibody

Control: Used PBS instead of primary

antibody


Second Ab: 2µg/ml HRP-Linked

Caprine Anti-Rabbit IgG Polyclonal

Antibody


(Catalog: SAA544Rb19)

ි Cloud-Clone Corp.



DAB staining on IHC-P; Sample: Human Lymphoma Tissue Primary Ab: 20µg/ml Rabbit Anti-Human CASP10 Antibody Control: Used PBS instead of primary antibody Second Ab: 2µg/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal


> Antibody (Catalog: SAA544Rb19)



Western Blot; Sample: Mouse Liver lysate:

Primary Ab: 5µg/ml Rabbit Anti-Human Primary Ab: 5µg/ml Rabbit Anti-Human CASP10 Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody


(Catalog: SAA544Rb19)



DAB staining on IHC-P; Sample: Human Liver cancer Tissue Primary Ab: 20µg/ml Rabbit Anti-Human CASP10 Antibody Control: Used PBS instead of primary antibody


Second Ab: 2µg/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

(Catalog: SAA544Rb19)



Western Blot; Sample: Mouse Testis lysate:

CASP10 Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)




Western Blot; Sample: Mouse Spleen lysate;

Primary Ab: 5µg/ml Rabbit Anti-Human CASP10 Antibody Second Ab: 0.2µg/mL HRP-Linked

Caprine Anti-Rabbit IgG Polyclonal Antibody

(Catalog: SAA544Rb19)



Western Blot; Sample: Lane1: HL60 cell lysate; Lane2: 3T3-L1 cell lysate; Lane3: Human Lung lysate; Lane4: Porcine Spleen lysate Primary Ab: 0.3ug/ml Rabbit Anti-Human CASP10 Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

(Catalog: SAA544Rb19)



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.