

PAA626Hu02

Polyclonal Antibody to Caspase 3 (CASP3)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.5mg/mL

UOM: $10\mu g(20\mu L)$

Cross Reactivity: Rat; Porcine

Applications: WB; IHC

[IMMUNOGEN]

Immunogen: Recombinant CASP3 (Ser29~Asp175) expressed in E.coli

Accession No.: RPA626Hu02

[APPLICATIONS]

Western blotting: 0.01-5µg/mL;

Immunohistochemistry: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the


Corp.

expiration date under appropriate storage condition.


[IDENTIFICATION]




DAB staining on IHC-P; Samples: Human Liver Tissue; Primary Ab: 20µg/ml Rabbit Anti-Human CASP3 Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



DAB staining on IHC-P; Samples: Human Thyroid Tissue; Primary Ab: 20µg/ml Rabbit Anti-Human CASP3 Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody




DAB staining on IHC-P; Samples: Human Kidney Tissue; Primary Ab: 20µg/ml Rabbit Anti-Human CASP3 Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



DAB staining on IHC-P;

Samples: Human Esophagus cancer Tissue; Primary Ab: 20µg/ml Rabbit Anti-Human CASP3 Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

(Catalog: SAA544Rb19)




Western Blot; Sample: Lane1: Human

(Catalog: SAA544Rb19)

Liver lysate; Lane2: Jurkat cell lysate; Lane3: Hela cell lysate; Lane4: HepG2 cell lysate; Lane5: Porcine Liver lysate; Lane6: Rat Cerebrum lysate Primary Ab: 0.5µg/ml Rabbit Anti-Human CASP3 Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal

Antibody (Catalog: SAA544Rb19)





Knockout Varification:

Lane 1: Wild-type Jurkat cell lysate; Lane 2: CASP3 knockout Jurkat cell lysate; Predicted MW: 31kDa Observed MW: 31kDa Primary Ab: 5µg/ml Rabbit Anti-Human CASP3 Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

Coud-Clone Corp.

(Catalog: SAA544Rb19)





Western blot shows lysates of Jurkat ce Western Blot; Samples: Lane1: Jurkat Il line treated with 1 µM staurosporine (cell lysate; Lane2: Human peripheral STS) for the indicated times. blood mononuclear cell; Lane3: Porcine Primary Ab: 0.5ug/ml Rabbit Anti-Liver lysate; Lane4: Rat Cerebrum Human CASP3 Antibody lysate; Second Ab: 0.2µg/mL HRP-Linked Cap Primary Ab: 0.2µg/ml Rabbit Antirine Anti-Human CASP3 Antibody Rabbit IgG Polyclonal Antibody Second Ab: 0.2µg/ml HRP-Linked (Catalog: SAA544Rb19) Caprine Anti-Rabbit IgG Polyclonal Antibody

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.

(Catalog: SAA544Rb19)