

PAF020Hu01

Polyclonal Antibody to Eukaryotic Translation Elongation Factor 1 Alpha 1 (EEF1a1)

Organism Species: *Homo sapiens (Human)*

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

[PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Traits: Liquid

Concentration: 0.48mg/mL

UOM: 50µL

Cross Reactivity: Mouse;Rat

Applications: WB; IHC; ICC/IF

[IMMUNOGEN]

Immunogen: Recombinant EEF1a1 (Met1~Pro241) expressed in *E.coli*

Accession No.: RPF020Hu01

[APPLICATIONS]

Western blotting: 0.01-2µg/mL;

Immunohistochemistry: 5-20µg/mL;

Immunofluorescence: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.


Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no

obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


[IDENTIFICATION]




DAB staining on IHC-P;
Sample: Rat Colon Tissue;
Primary Ab: 10ug/ml Rabbit Anti-Human EEF1a1 Antibody
Second Ab: 2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody
(Catalog: SAA544Rb19)




DAB staining on IHC-P;
Samples: Human Kidney Tissue;
Primary Ab: 20μg/ml Rabbit Anti-Human EEF1a1 Antibody
Second Ab: 2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody
(Catalog: SAA544Rb19)




DAB staining on IHC-P;
Sample: Rat Cerebrum Tissue;
Primary Ab: 10ug/ml Rabbit Anti-Human EEF1a1 Antibody
Second Ab: 2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody
(Catalog: SAA544Rb19)




DAB staining on IHC-P;
Sample: Rat Lymph node Tissue;
Primary Ab: 10ug/ml Rabbit Anti-Human EEF1a1 Antibody
Second Ab: 2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody
(Catalog: SAA544Rb19)



DAB staining on IHC-P;
Sample: Rat Testis Tissue;
Primary Ab: 10ug/ml Rabbit Anti-Human EEF1a1 Antibody
Second Ab: 2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody
(Catalog: SAA544Rb19)



DAB staining on IHC-P;
Sample: Rat Cerebrum Tissue
Primary Ab: 10μg/ml Rabbit Anti-Human EEF1a1 Antibody
Control: Used PBS instead of primary antibody
Second Ab: 2μg/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody



DAB staining on IHC-P;


Sample: Rat Testis Tissue

Primary Ab: 10µg/ml Rabbit Anti-Human EEF1a1 Antibody

Control: Used PBS instead of primary antibody

Second Ab: 2µg/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

(Catalog: SAA544Rb19)



DAB staining on IHC-P;

Sample: Human Kidney Tissue


Primary Ab: 20µg/ml Rabbit Anti-Human EEF1a1 Antibody

Control: Used PBS instead of primary antibody

Second Ab: 2µg/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

(Catalog: SAA544Rb19)

(Catalog: SAA544Rb19)



Western Blot; Samples: Lane1: Hela

cell lysate; Lane2: Jurkat cell lysate;


Lane3: Mouse Heart lysate; Lane4:

Mouse Cerebrum lysate;

Primary Ab: 1µg/ml Rabbit Anti-Human EEF1a1 Antibody

Second Ab: 0.2µg/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody


(Catalog: SAA544Rb19)



Western Blot; Sample: Lane1: Mouse Heart lysate; Lane2: Mouse Cerebrum lysate; Lane3: Hela cell lysate; Lane4: Jurkat cell lysate; Lane5: U2OS cell lysate

Primary Ab: 0.2µg/ml Rabbit Anti-Human EEF1a1 Antibody

Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody



Knockout Varification:

Lane 1: Wild-type Jurkat cell lysate;


Lane 2: EEF1a1 knockout Jurkat cell lysate;

Predicted MW: 48,50kd

Observed MW: 50kd

Primary Ab: 1µg/ml Rabbit Anti-Human EEF1a1 Antibody

Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal



AF488 staining on IF;

Sample: HepG2 cell

Primary Ab: 20µg/ml Rabbit Anti-Human EEF1a1 Antibody

Second Ab: 2?g/ml AF488-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

(Catalog: SAA544Rb11)

(Catalog: SAA544Rb19)

Antibody

(Catalog: SAA544Rb19)

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.