

PAA303Rb51

Polyclonal Antibody to Galectin 3 (GAL3)

Organism Species: *Oryctolagus cuniculus* (Rabbit)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

[PROPERTIES]

Source: Polyclonal antibody preparation

Host: Guinea pig

Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Traits: Liquid

Concentration: 0.5mg/mL

UOM: 200μL

Cross Reactivity: N/A

Applications: WB; IHC

[IMMUNOGEN]

Immunogen: Recombinant GAL3 (Ala2~Ile242) expressed in *E.coli*

Accession No.: RPA303Rb01

[APPLICATIONS]

Western blotting: 0.01-2μg/mL;

Immunohistochemistry: 5-20μg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.


Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the

expiration date under appropriate storage condition.


[IDENTIFICATION]



DAB staining on IHC-P; Samples:
Rabbit Lung Tissue; Primary Ab:
20µg/ml Cavia Anti-Rabbit GAL3
Antibody Second Ab: 2µg/mL HRP-
Linked Rabbit Anti-Cavia IgG
Polyclonal Antibody (Catalog:
SAA544Gu09)



DAB staining on IHC-P;
Samples: Rabbit Colon Tissue;
Primary Ab: 20µg/ml Cavia Anti-Rabbit
GAL3 Antibody
Second Ab: 2µg/mL HRP-Linked Rabbit
Anti-Cavia IgG Polyclonal Antibody
(Catalog: SAA544Gu09)



Western Blot; Sample: Rabbit Lung
lysate;
Primary Ab: 1µg/ml Cavia Anti-Rabbit
GAL3 Antibody
Second Ab: 0.2µg/mL HRP-Linked
Rabbit Anti-Cavia IgG Polyclonal
Antibody
(Catalog: SAA544Gu09)

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.