

PAB090Po01

Polyclonal Antibody to Glutathione S Transferase Pi (GSTp)

Organism Species: Sus scrofa; Porcine (Pig)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



# [PROPERTIES]

**Source:** Polyclonal antibody preparation

Host: Rabbit

**Purification:** Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.5mg/mL

**UOM:** 200µL

Cross Reactivity: Human

Applications: WB; IHC

#### [ IMMUNOGEN ]

Immunogen: Recombinant GSTp (Met17~Lys206) expressed in E.coli

Accession No.: RPB090Po01

## [ APPLICATIONS ]

Western blotting: 0.01-2µg/mL;

Immunohistochemistry: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

#### [FORMULATION]

**Form & Buffer:** Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

#### [STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the


# Coud-Clone Corp.

expiration date under appropriate storage condition.

### [ IDENTIFICATION ]




DAB staining on IHC-P; Sample: Porcine Kidney Tissue Primary Ab: 10µg/ml Rabbit Anti-Porcine GSTp Antibody Control: Used PBS instead of primary antibody Second Ab: 2?g/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



DAB staining on IHC-P; Sample: Porcine Small intestine Tissue Primary Ab: 10µg/ml Rabbit Anti-Porcine GSTp Antibody Control: Used PBS instead of primary antibody

Second Ab: 2µg/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody


(Catalog: SAA544Rb19)



Western Blot; Sample: Porcine Skin lysate:

Primary Ab: 1µg/ml Rabbit Anti-Porcine **GSTp Antibody** Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody


(Catalog: SAA544Rb19)



Western Blot; Sample: Porcine


Stomach lysate;

**GSTp Antibody** Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



Western Blot; Sample: Porcine Pancreas lysate; Primary Ab: 1µg/ml Rabbit Anti-Porcine Primary Ab: 1µg/ml Rabbit Anti-Porcine

**GSTp Antibody** Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



Western Blot; Sample: Jurkat cell lysate Primary Ab: 0.1µg/ml Rabbit Anti-Porcine GSTp Antibody Second Ab: 0.2?g/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



# [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.