

PAB282Hu01

Polyclonal Antibody to Integrin Alpha V (ITGaV)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



## [ PROPERTIES ]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.5mg/mL

**UOM:** 100µL

Cross Reactivity: N/A

Applications: WB; ICC/IF

### [ IMMUNOGEN ]

Immunogen: Recombinant ITGaV (Pro560~Trp744) expressed in E.coli

Accession No.: RPB282Hu01

### [ APPLICATIONS ]

Western blotting: 0.01-2µg/mL;

Immunofluorescence: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

#### [FORMULATION]

**Form & Buffer:** Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

### [STORAGE AND STABILITY]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the

# Cloud-Clone Corp.

expiration date under appropriate storage condition.

## [ IDENTIFICATION ]



**Knockout Varification:** 

Lane 1: Wild-type A549 cell lysate;

Lane 2: ITGaV knockout A549 cell

lysate;

Predicted MW: 116kDa

Observed MW: 130kDa

Primary Ab: 4µg/ml Rabbit Anti-Human


ITGaV Antibody

Second Ab: 0.2µg/mL HRP-Linked

Caprine Anti-Rabbit IgG Polyclonal

Antibody

(Catalog: SAA544Rb19)



AF488 staining on IF;

Sample: A549 cell

Primary Ab: 20µg/ml Rabbit Anti-

Human ITGaV Antibody

Second Ab: 2?g/ml AF488-Linked

Caprine Anti-Rabbit IgG Polyclonal

Antibody

(Catalog: SAA544Rb11)

## [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.