

PAA563Mu01

Polyclonal Antibody to Interleukin 1 Beta (IL1b)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



# [PROPERTIES]

**Source:** Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.5mg/mL

**UOM:** 100µL

Cross Reactivity: Human

Applications: WB

#### [ IMMUNOGEN ]

Immunogen: Recombinant IL1b (Val118~Ser269) expressed in E.coli

Accession No.: RPA563Mu01

### [ APPLICATIONS ]

Western blotting: 0.01-2µg/mL;

Optimal working dilutions must be determined by end user.

#### [FORMULATION]

**Form & Buffer:** Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

#### [STORAGE AND STABILITY]

**Storage:** Avoid repeated freeze/thaw cycles.


Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

# Coud-Clone Corp.

# [ IDENTIFICATION ]





RAW264.7 cell lysate; Lane2: Jurkat cell lysate

Western Blot; Sample: Lane1:

Primary Ab: 0.8µg/ml Rabbit Anti-Mouse IL1b Antibody

Second Ab: 0.2µg/mL HRP-Linked

Caprine Anti-Rabbit IgG Polyclonal

Antibody

(Catalog: SAA544Rb19)

Western Blot; Samples: Lane1: THP1
treated with 10µg/ml LPS and 10µg/ml
ConA for 24 hours, cell precipitation;
Lane2: Untreated THP1 cell lysate;
Primary Ab: 0.2µg/ml Rabbit AntiMouse IL1b Antibody
Second Ab: 0.2?g/ml HRP-Linked
Caprine Anti-Rabbit IgG Polyclonal
Antibody

(Catalog: SAA544Rb19)

# [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.