

PAL648Hu01

Polyclonal Antibody to Kelch Like ECH Associated Protein 1 (KEAP1)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.5mg/mL

UOM: 200µL

Cross Reactivity: Mouse; Rat

Applications: WB; ICC/IF

[IMMUNOGEN]

Immunogen: Recombinant KEAP1 (Leu327~Cys624) expressed in E.coli

Accession No.: RPL648Hu01

[APPLICATIONS]

Western blotting: 0.01-2µg/mL;

Immunofluorescence: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the

Coud-Clone Corp.


expiration date under appropriate storage condition.

[IDENTIFICATION]





Knockout Varification:




Western Blot; Samples: Lane1: 293T cell lysate; Lane2: HepG2 cell lysate; Lane3: Rat Placenta lysate; Primary Ab: 1µg/ml Rabbit Anti-Human **KEAP1** Antibody Second Ab: 0.2?g/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

(Catalog: SAA544Rb19)

Lane 1: Wild-type 293T cell lysate; Lane 2: KEAP1 knockout 293T cell lysate; Predicted MW: 70kd Observed MW: 65kd Primary Ab: 1µg/ml Rabbit Anti-Human **KEAP1** Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

(Catalog: SAA544Rb19)

Western Blot; Samples: Lane1: Mouse Lung lysate; Lane2: Mouse Cerebrum lysate; Lane3: Mouse Placenta lysate; Lane4: Mouse Kidney lysate; Lane5: NIH/3T3 cell lysate; Primary Ab: 0.1µg/ml Rabbit Anti-Human KEAP1 Antibody Second Ab: 0.2?g/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



FITC staining on IF; Samples: Human HepG2 Cells; Primary Ab: 20µg/ml Rabbit Anti-Human KEAP1 Antibody Second Ab: 1µg/ml FITC-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody



(Catalog: SAA544Rb18)

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.