

PAC257Hu01

Polyclonal Antibody to Nucleoporin 62 (NUP62)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.5mg/mL

UOM: 10µL

Cross Reactivity: Porcine

Applications: WB; ICC/IF

[IMMUNOGEN]

Immunogen: Recombinant NUP62 (Ala186~Lys432) expressed in E.coli

Accession No.: RPC257Hu01

[APPLICATIONS]

Western blotting: 0.01-3µg/mL;

Immunofluorescence: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the


Coud-Clone Corp.

expiration date under appropriate storage condition.

[IDENTIFICATION]







Western Blot; Sample: Porcine Liver lysate:

Western Blot; Sample: HepG2 cell lysate:

Western Blot; Sample: Raji cell lysate; Primary Ab: 3µg/ml Rabbit Anti-Human

Primary Ab: 3µg/ml Rabbit Anti-Human Primary Ab: 3µg/ml Rabbit Anti-Human NUP62 Antibody

NUP62 Antibody

NUP62 Antibody


Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal

Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal

Antibody (Catalog: SAA544Rb19) Selected Antibody

Antibody (Catalog: SAA544Rb19) Selected

kDa 100-70-



AF488 staining on IF;

Western Blot; Sample: A431 cell lysate; Primary Ab: 3µg/ml Rabbit Anti-Human NUP62 Antibody

Sample: HepG2 cell Primary Ab: 20µg/ml Rabbit Anti-

Second Ab: 0.2µg/mL HRP-Linked

Human NUP62 Antibody

Caprine Anti-Rabbit IgG Polyclonal

Second Ab: 2?g/ml AF488-Linked Caprine Anti-Rabbit IgG Polyclonal

Antibody

Antibody

(Catalog: SAA544Rb19) Selected

(Catalog: SAA544Rb11)

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was



used in clinical diagnostic or any other procedures.