

PAA788Hu01

Polyclonal Antibody to Programmed Cell Death Protein 1 Ligand 1 (PDL1)

Organism Species: *Homo sapiens (Human)*

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

[PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Traits: Liquid

Concentration: 0.5mg/mL

UOM: 100μL

Cross Reactivity: Mouse;Rat;Porcine

Applications: WB; ICC/IF

[IMMUNOGEN]

Immunogen: Recombinant PDL1 (Pro24~Pro234) expressed in *E.coli*

Accession No.: RPA788Hu01

[APPLICATIONS]

Western blotting: 0.01-3μg/mL;

Immunofluorescence: 5-30μg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.


Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the

expiration date under appropriate storage condition.

[IDENTIFICATION]




Western Blot; Sample: Lane1: Human Placenta lysate; Lane2: Rat Heart lysate; Lane3: Rat Skeletal muscle lysate Primary Ab: 0.1µg/ml Rabbit Anti-Human PDCD1LG1 Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19) Selected




FITC staining on IF; Sample: Human

Hela cell; Primary Ab: 20ug/ml Rabbit Anti-Human PDCD1LG1 Antibody Second Ab: 2µg/ml FITC-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb18)




Western Blot; Sample: Lane1: Human Placenta lysate; Lane2: Mouse Heart lysate Primary Ab: 2µg/ml Rabbit Anti-Human PDCD1LG1 Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19) Selected




Knockout Varification:

Lane 1: Wild-type MDA-MB-231 cell lysate;
Lane 2: PDCD1LG1 knockout MDA-MB-231 cell lysate;
Predicted MW: 33,20kDa
Observed MW: 33kDa
Primary Ab: 1µg/ml Rabbit Anti-Human PDCD1LG1 Antibody
Second Ab: 0.2µg/mL HRP-Linked



Western Blot; Sample: Lane1: Rat Heart lysate; Lane2: Mouse Heart lysate; Lane3: Porcine Heart lysate Primary Ab: 0.5µg/ml Rabbit Anti-Human PDCD1LG1 Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19) Selected





Western Blot; Sample: Porcine Skeletal muscle lysate;
Primary Ab: 3µg/ml Rabbit Anti-Human PDCD1LG1 Antibody
Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19) Selected

Caprine Anti-Rabbit IgG Polyclonal

Antibody

(Catalog: SAA544Rb19)



AF488 staining on IF;

Western Blot; Sample: 293F cell lysate

Primary Ab: 0.3 μ g/ml Rabbit Anti-
Human PDCD1LG1 Antibody

Second Ab: 0.2 μ g/ml HRP-Linked
Caprine Anti-Rabbit IgG Polyclonal

Antibody

(Catalog: SAA544Rb19)

Sample: 293F cell

Primary Ab: 30 μ g/ml Rabbit Anti-
Human PDCD1LG1 Antibody

Second Ab: 2 μ g/ml AF488-Linked
Caprine Anti-Rabbit IgG Polyclonal

Antibody

(Catalog: SAA544Rb11)

[**IMPORTANT NOTE**]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.