

PAA145Hu01

Polyclonal Antibody to Vascular Endothelial Growth Factor C (VEGFC)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.5mg/mL

UOM: 200µL

Cross Reactivity: Mouse.

Applications: WB.

[IMMUNOGEN]

Immunogen: Recombinant VEGFC (Glu47~Trp413) expressed in E.coli

Accession No.: RPA145Hu01

[APPLICATIONS]

Western blotting: 0.01-3µg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.


Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



[IDENTIFICATION]



Western Blot; Sample: Mouse raw264.7 Western Blot; Sample: Human MCF7 Knockout Varification:

cell lysate; cell lysate; Lane 1: Wild-type MCF7 cell lysate;

Primary Ab: 2µg/mL Rabbit Anti-Human Primary Ab: 2µg/mL Rabbit Anti-Human Lane 2: VEGFC knockout MCF7 cell

VEGFC Antibody VEGFC Antibody lysate;
Second Ab: 0.2µg/mL HRP-Linked Second Ab: 0.2µg/mL HRP-Linked Predicted MW: 47kd

Caprine Anti-Rabbit IgG Polyclonal Caprine Anti-Rabbit IgG Polyclonal Observed MW: 44kd

Antibody Antibody Primary Ab: 3µg/ml Rabbit Anti-Human (Catalog: SAA544Rb19) VEGFC Antibody

Second Ab: 0.2µg/mL HRP-Linked

Caprine Anti-Rabbit IgG Polyclonal
Antibody

(Catalog: SAA544Rb19)

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.