

RPC110Hu02 10µg

**Recombinant Growth Differentiation Factor 5 (GDF5)** 

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



## [PROPERTIES]

**Source:** Prokaryotic expression

Host: E.coli

Residues: Leu86~Arg501

Tags: N-terminal His Tag

Subcellular Location: Secreted

**Purity:** > 90%

Traits: Freeze-dried powder

**Buffer formulation:** PBS, pH7.4, containing 0.01% Sarcosyl, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.8

Predicted Molecular Mass: 50.1kDa

**Accurate Molecular Mass:** 50kDa as determined by SDS-PAGE reducing conditions.

### [USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

### [ SEQUENCE ]



		LTQPK	KDEPKKLPPR	PGGPEPKPGH	PPQTRQATAR	
TVTPKGQLPG	GKAPPKAGSV	PSSFLLKKAR	EPGPPREPKE	PFRPPPITPH	EYMLSLYRTL	
SDADRKGGNS	SVKLEAGLAN	TITSFIDKGQ	DDRGPVVRKQ	RYVFDISALE	KDGLLGAELR	
ILRKKPSDTA	KPAAPGGGRA	AQLKLSSCPS	GRQPASLLDV	RSVPGLDGSG	WEVFDIWKLF	
RNFKNSAQLC	LELEAWERGR	AVDLRGLGFD	RAARQVHEKA	LFLVFGRTKK	RDLFFNEIKA	
RSGQDDKTVY	EYLFSQRRKR	RAPLATRQGK	RPSKNLKARC	SRKALHVNFK	DMGWDDWIIA	
PLEYEAFHCE	GLCEFPLRSH	LEPTNHAVIQ	TLMNSMDPES	TPPTCCVPTR	LSPISILFID	
SANNVVYKQY	EDMVVESCGC	R				

## [ IDENTIFICATION ]



# [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.