

RPD892Hu01 50µg

Recombinant Insulin Like Growth Factor Binding Protein, Acid Labile Subunit (IGFALS)

Organism Species: *Homo sapiens (Human)*

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Ala28~Cys605

Tags: N-terminal His Tag

Subcellular Location: Secreted

Purity: > 95%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% Sarcosyl, 5%Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.6

Predicted Molecular Mass: 67.0kDa

Accurate Molecular Mass: 60kDa as determined by SDS-PAGE reducing conditions.

Phenomenon explanation:

The possible reasons that the actual band size differs from the predicted are as follows:

- 1.Splice variants: Alternative splicing may create different sized proteins from the same gene.
2. Relative charge: The composition of amino acids may affects the charge of the protein.
3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
5. Polymerization of the target protein: Dimerization, multimerization etc.

[USAGE]

Reconstitute in ddH₂O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

```

                                ADP  GTPGEAEGPA  CPAACVCSYD
DDADELSVFC  SSRNLTRLPD  GVPGGTQALW  LDGNNLSSVP  PAAFQNLSSL
GFLNLQGGQL  GSLEPQALLG  LENLCHLHLE  RNQLRSLALG  TFAHTPALAS
LGLSNNRLSR  LEDGLFEGLG  SLWDLNLGWN  SLAVLPDAAF  RGLGSLRELV
LAGNRLAYLQ  PALFSGLAEL  RELDLSRNAL  RAIKANVFVQ  LPRLQKLYLD
RNLIAAVAPG  AFLGLKALRW  LDLSHNRVAG  LLEDTFPGLL  GLRVLRLSHN
AIASLRPRTF  KDLHFLEELQ  LGHNRIRQLA  ERSFEGLGQL  EVLTLDHNQL
QEVKAGAFGL  LTNVAVMNLS  GNCLRNLP EQ  VFRGLGKLHS  LHLEGSC LGR
IRPHTFTGLS  GLRRLFLKDN  GLVGIEEQSL  WGLAEELLELD  LTSNQLTHLP
HRLFQGLGKL  EYLLLSRNRL  AELPADALGP  LQRAFWLDVS  HNRLEALPNS
LLAPLGRLRY  LSLRNNSLRT  FTPQPPGLER  LWLEGNPWDC  GCPLKALRDF
ALQNPSAVPR  FVQAICEGDD  CQPPAYTYNN  ITCASPPEVV  GLDLRDLSEA
HFAPC

```

[IDENTIFICATION]




Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.