

RPH689Hu01 10µg

Recombinant Mannosidase Alpha Class 1A Member 1 (MAN1A1)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Ile322~Glu653

Tags: N-terminal His and GST Tag

Subcellular Location: Membrane, Golgi apparatus

Purity: > 95%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% Sarcosyl, 5% Trehalose.

Original Concentration: 400µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.8

Predicted Molecular Mass: 68.1kDa

Accurate Molecular Mass: 68kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]



| | | IPWALLNMK | SGIGRNWPWA | SGGSSILAEF |
|------------|------------|------------|------------|------------|
| GTLHLEFMHL | SHLSGNPIFA | EKVMNIRTVL | NKLEKPQGLY | PNYLNPSSGQ |
| WGQHHVSVGG | LGDSFYEYLL | KAWLMSDKTD | LEAKKMYFDA | VQAIETHLIR |
| KSSSGLTYIA | EWKGGLLEHK | MGHLTCFAGG | MFALGADAAP | EGMAQHYLEL |
| GAEIARTCHE | SYNRTFMKLG | PEAFRFDGGV | EAIATRQNEK | YYILRPEVME |
| TYMYMWRLTH | DPKYRKWAWE | AVEALENHOR | VNGGYSGLRD | VYLLHESYDD |
| VQQSFFLAET | LKYLYLIFSD | DDLLPLEHWI | FNSEAHLLPI | LPKDKKEVEI |
| REE | | | | |

[IDENTIFICATION]



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.