

RPC643Hu01 10µg

Recombinant Monoamine Oxidase B (MAOB)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Ser2~Val489

Tags: N-terminal His Tag

Subcellular Location: Secreted, Mitochondrion

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% Sarcosyl, 5% Trehalose.

Original Concentration: 1000µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.8

Predicted Molecular Mass: 58.7kDa

Accurate Molecular Mass: 30&61kDa as determined by SDS-PAGE reducing conditions.

Phenomenon explanation:

The possible reasons that the actual band size differs from the predicted are as follows:

- 1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
- 2. Relative charge: The composition of amino acids may affects the charge of the protein.
- 3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
- 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
- 5. Polymerization of the target protein: Dimerization, multimerization etc.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.



Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

```
SNKCDVVVV GGGISGMAAA KLLHDSGLNV VVLEARDRVG GRTYTLRNQK VKYVDLGGSY VGPTQNRILR LAKELGLETY KVNEVERLIH HVKGKSYPFR GPFPPVWNPI TYLDHNNFWR TMDDMGREIP SDAPWKAPLA EEWDNMTMKE LLDKLCWTES AKQLATLFVN LCVTAETHEV SALWFLWYVK QCGGTTRIIS TTNGGQERKF VGGSGQVSER IMDLLGDRVK LERPVIYIDQ TRENVLVETL NHEMYEAKYV ISAIPPTLGM KIHFNPPLPM MRNQMITRVP LGSVIKCIVY YKEPFWRKKD YCGTMIIDGE EAPVAYTLDD TKPEGNYAAI MGFILAHKAR KLARLTKEER LKKLCELYAK VLGSLEALEP VHYEEKNWCE EQYSGGCYTT YFPPGILTQY GRVLRQPVDR IYFAGTETAT HWSGYMEGAV EAGERAAREI LHAMGKIPED EIWOSEPESV DVPAOPITTT FLERHLPSV
```

[IDENTIFICATION]




Figure . Gene Sequencing (extract)






Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.