

RPE270Hu01 200µg

Recombinant Muscle, Skeletal, Receptor Tyrosine Kinase (MUSK)

Organism Species: *Homo sapiens (Human)*

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Leu24~Thr495

Tags: N-terminal His Tag

Subcellular Location: Membrane

Purity: > 80%

Traits: Freeze-dried powder

Buffer formulation: 100mMNaHCO₃, 500mMNaCl, pH8.3, containing 0.01% Sarcosyl, 5% Trehalose.

Original Concentration: 150µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 7.3

Predicted Molecular Mass: 55.6kDa

Accurate Molecular Mass: 56kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in ddH₂O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

```

                LPKAPVI TTPLETVDAL VEEVATFMCA
VESYPQPEIS WTRNKILIKL FDTRYSIREN GQLLTILSVE DSDDGIYCCT
ANNGVGGAVE SCGALQVKMK PKITRPPINV KIIEGLKAVL PCTTMGNPKP
SVSWIKGDSP LRENSRIAVL ESGSLRIHNV QKEDAGQYRC VAKNSLGTAY
SKVVKLEVEV FARILRAPES HNVTFGSFVT LHCTATGIPV PTITWIENG
AVSSGSIQES VKDRVIDSRL QLFITKPGLY TCIATNKHGE KFSTAKAAAT
ISIAEWSKPQ KDNKGCAQY RGEVCNAVLA KDALVFLNTS YADPEEAQEL
LVHTAWNELK VVSPVCRPAA EALLCNHIFQ ECSPGVVPTP IPICREYCLA
VKELFCAKEW LVMEETHRG LYRSEMHLLS VPECSKLPSM HWDPTACARL
PHLDYNKENL KTFPPMTSSK PSVDIPNLPS SSSSSFSVSP TYSMT

```

[IDENTIFICATION]



Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.