

RPC049Hu01 200µg

Recombinant Phospholipase D (PLD)

Organism Species: *Homo sapiens (Human)*

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

[**PROPERTIES**]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Thr725~Thr1074

Tags: N-terminal His Tag

Subcellular Location: Membrane, Cytoplasm, Golgi apparatus, Endoplasmic reticulum lumen

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% Sarcosyl, 5% Trehalose.

Original Concentration: 50µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.7

Predicted Molecular Mass: 43.4kDa

Accurate Molecular Mass: 43kDa as determined by SDS-PAGE reducing conditions.

[**USAGE**]

Reconstitute in ddH₂O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

[**STORAGE AND STABILITY**]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[**SEQUENCE**]

		TTAHEL	RYQVPGSVHA	NVQLLRSAAD
WSAGIKYHEE	SIHAAYVHVI	ENSRHYIYIE	NQFFISCADD	KVVFNKIGDA
IAQRILKAHR	ENQKYRVYVV	IPLLPGFEGD	ISTGGGNALQ	AIMHFNRYTM
CRGENSILGQ	LKAELGNQWI	NYISFCGLRT	HAELEGNLVT	ELIYVHSLKL
IADDNTVIIG	SANINDRSML	GKRDSEMAVI	VQDTETVPSV	MDGKEYQAGR
FARGLRLQCF	RVVLGYLDDP	SEDIQDPVSD	KFFKEVWVST	AARNATIYDK
VFRCLPNDEV	HNLIQLRDFI	NKPVLAKEDE	IRAEELKKI	RGFLVQFPFY
FLSEESLLPS	VGTKAIVPM	EVWT		

[IDENTIFICATION]




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.