PAD194Ra01 Polyclonal Antibody to Collagen Type II Alpha 1 (COL2a1) Organism Species: Rattus norvegicus (Rat) Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)

Western Blot

kDa

75


50

37

25

[PRODUCT INFORMATION]

Immunogen: COL2a1, Rat Clonality: Polyclonal Host: Rabbit Immunoglobulin Type: IgG Purification: Affinity Chromatography. Applications: WB, ICC, IHC-P, IHC-F, ELISA Concentration: 200µg/mL



UOM: 100µg

Sample: Recombinant COL2a1, Rat

[IMMUNOGEN INFORMATION]

Immunogen: Recombinant COL2a1 (Lys1226~Tyr1331) expressed in E.coli.

Accession No.: RPD194Ra01

Sequence: The target protein is fused with N-terminal His-Tag and its sequence is listed below.

MGHHHHHHSGSEF- KSGDY WIDPNQGCTL DAMKVFCNME TGESCVYPNP ATVPRKNWWS SKSKEKKHIW FGETMNGGFH FSYGDGNLAP NTANVQMTFL RLLSTEGSQN ITYHCKNSIAY

Designed by Cloud-Clone Corp., Assembled by Uscn Life Science Inc. ISO9001:2008: ISO13485:2003 11271 Richmond Avenue Suite H104. Houston, TX 77082, USA | Tot free: 001-888-960-7402 | Fax: 001-832-538-0088 | Http://www.cloud-clone.us | E-mail: mail@cloud-clone.us Export Processing Zone Building F. Wuhan, Hubei 430056, PRC | Toti free: 0086-800-880-0687 | Fax: 0086-27-8425-9551 | Http://www.uscnk.com | E-mail: mail@cloud-clone.us

[ANTIBODY SPECIFITY]

The antibody is a rabbit polyclonal antibody raised against COL2a1. It has been selected for its ability to recognize COL2a1 in immunohistochemical staining and western blotting.

[APPLICATIONS]

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-200 Optimal working dilutions must be determined by end user.

[CONTENTS]

Form & Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02% NaN₃, 50% glycerol.

[QUALITY CONTROL]

Content: The quality control contains recombinant COL2a1 (Lys1226~Tyr1331) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.

5uL per well when used in enhanced chemilumescent (ECL). **Note:** The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN $_3$ 0.02%.

[STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.