#### PAB685Mu01 Polyclonal Antibody to Integrin Alpha M (ITGaM) **Organism Species: Mus musculus (Mouse)** Instruction manual

#### FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

Immunogen: ITGaM, Mouse **Clonality:** Polyclonal Host: Rabbit Immunoglobulin Type: IgG **Purification:** Affinity Chromatography.

44 33

Sample: Recombinant ITGaM, Mouse

#### [IMMUNOGEN INFORMATION]

Immunogen: Recombinant ITGaM (Asn248~Gly430) expressed in E.coli.

Accession No.: RPB685Mu01

Sequence: The target protein is fused with N-terminal His-Tag and its sequence is listed below.


MGHHHHHHSGSEF-NAA KILVVITDGE KFGDPLDYKD VIPEADRAGV IRVVIGVGNA FNKPQSRREL DTIASKPAGE HVFQVDNFEA LNTIQNQLQE KIFAIEGTQT GSTSSFEHEM SQEGFSASIT SNGPLLGSVG SFDWAGGAFL YTSKDKVTFI NTTRVDSDMN DAYLGYASAV II RNRVQSI V I GAPRYQHIG

#### [ PRODUCT INFORMATION ]

Applications: WB, ICC, IHC-P, IHC-F, ELISA

Concentration: 200µg/mL

**UOM:** 100µg





9th Edition (Revised in Jul, 2013)

Western Blot

## [ANTIBODY SPECIFITY]

The antibody is a rabbit polyclonal antibody raised against ITGaM. It has been selected for its ability to recognize ITGaM in immunohistochemical staining and western blotting.

#### [APPLICATIONS]

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-200 Optimal working dilutions must be determined by end user.

## [CONTENTS]

**Form & Buffer:** Supplied as solution form in PBS, pH7.4, containing 0.02% NaN<sub>3</sub>, 50% glycerol.

### [QUALITY CONTROL]

**Content:** The quality control contains recombinant ITGaM (Asn248~Gly430) disposed in loading buffer.

**Usage:** 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.

5uL per well when used in enhanced chemilumescent (ECL). **Note:** The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN $_3$  0.02%.

# [ <u>STORAGE</u> ]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.