




# A90548Mu02 Polycional Antibody to Intercellular Adhesion Molecule 1 (ICAM1) Instruction manual

# FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

5th Edition (Revised in January, 2013)

### [PRODUCT INFORMATION]



Sample: Recombinant mouse ICAM1

### [IMMUNOGEN INFORMATION]

Immunogen: Recombinant mouse ICAM1 (Ser328~Ser465) expressed in E.coli.

Molecular Weight: 16.7kDa

USCN accession No.: P90548Mu02

**Sequence:** The target protein is fused with N-terminal His-Tag and its sequence is listed below.

MGHHHHHHSGSEF- SQV TVKCEAHSGS KVVLLSGVEP RPPTPQVQFT LNASSEDHKR SFFCSAALEV AGKFLFKNQT LELHVLYGPR LDETDCLGNW TWQEGSQQTL KCQAWGNPSP KMTCRRKADG ALLPIGVVKS VKQEMNGTYV CHAFS

Unique product Superb quality Client favorite Nicest service @ ISO9001:2008; @ ISO13485:2003;  $\zeta \in$ 





### [ANTIBODY SPEFICITY]

Anti ICAM1 is a rabbit polyclonal antibody raised against mouse ICAM1. This antibody has been selected for its ability to recognize mouse ICAM1 in immunohistochemical staining and western blotting, non cross-reactive with other members of the family.

# [APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200

Optimal working dilutions must be determined by end user.

# [CONTENTS]

**Form & Buffer:** Supplied as solution form in PBS, pH 7.4, containing 0.02%Na<sub>3</sub>N, 50% glycerol.

### [QUALITY CONTROL]

**Content:** The quality control contains recombinant mouse ICAM1 (Ser328~Ser465) disposed in loading buffer.

**Usage:** 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.

5uL per well when used in enhanced chemilumescent (ECL).

Note: The quality control is specifically manufactured as the positive control. Not used for other purposes.

**Loading buffer:** 100mM Tris(PH 8.8), 2%SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, Na<sub>3</sub>N 0.02%.

# [STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.

Unique product Superb quality Client favorite Nicest service Q ISO9001:2008; Q ISO13485:2003;  $\zeta \in$