

PAA222Ca01

Polyclonal Antibody to Interferon Beta (IFN β)

Organism: *Canis familiaris*; Canine (Dog)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)

[**PRODUCT INFORMATION**]

Immunogen: IFN β , Canine

Clonality: Polyclonal

Host: Rabbit


Immunoglobulin Type: IgG

Purification: Affinity Chromatography.

Applications: WB, ICC, IHC-P, IHC-F

Concentration: 200 μ g/mL

UOM: 100 μ g



Sample: Recombinant IFN β , Canine

[**IMMUNOGEN INFORMATION**]

Immunogen: Recombinant IFN β (Ala21~Asn186) expressed in *E. coli*.

Accession No.: RPA222Ca01

Sequence: The target protein is fused with two N-terminal Tags, His-tag and GST-tag and its sequence is listed below.

MSPILGYWKI KGLVQPTRL L LEYLEEKYEE HLYERDEGDK WRNKKFELGL EFPNLPYYID
GDVKLTQSMA IIRYIADKHN MLGGCPKERA EISMLEGAVL DIRYGVSRIA YSKDFETLKV
DFLSKLP EML KMFEDRLCHK TYLNGDHVTH PDFMLYDALD VVLYMDPMCL DAFPKLVCFK
KRIEAIQID KYLKSSKYIA WPLQG WQATF GGGDHPKSD GSTSGSGHHH HHSAGLVPR
GSTAIGMKET AAKFERQHM DSPDLGTLEV LFQGPLGSEF- AMSNDLLRSQ LSSSSLECQE
LLLQLNGTTE YCLKDRINFE IPEEIEKSRQ FQKEDIILIT HEMFQKIFDI FRRNISRTGW
NETTVENLLV KLHWQKEHLE ILEDVKEKE NFTWDNRTLL HLKYYLRIV QYLKAKEYSI
CAWTIVQAEI CRNFFFLNIL TDYLNQ

[ANTIBODY SPECIFICITY]

The antibody is a rabbit polyclonal antibody raised against IFN β . It has been selected for its ability to recognize IFN β in immunohistochemical staining and western blotting.

[APPLICATIONS]

Western blotting: 1:50-400

Immunocytochemistry in formalin fixed cells: 1:50-500

Immunohistochemistry in formalin fixed frozen section: 1:50-500

Immunohistochemistry in paraffin section: 1:10-100

Enzyme-linked Immunosorbent Assay: 1:100-200

Optimal working dilutions must be determined by end user.

[CONTENTS]

Form & Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02% NaN $_3$, 50% glycerol.

[QUALITY CONTROL]

Content: The quality control contains recombinant IFN β (Ala21~Asn186) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.
5uL per well when used in enhanced chemiluminescent (ECL).

Note: The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN $_3$ 0.02%.

[STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.