



A90611Ra02 Antibody to Thrombospondin 1 (THBS1) Organism: Rattus norvegicus (Rat) Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

6th Edition (Revised in March, 2013)

[PRODUCT INFORMATION]

Immunogen: THBS1, Rat

Clonality: Polyclonal


Host: Rabbit

Immunoglobulin Type: IgG

Purification: Affinity Chromatography. **Applications:** WB, ICC, IHC-P, IHC-F

Concentration: 200µg/mL

UOM: 100μg



Sample: Recombinant THBS1, Rat

[IMMUNOGEN INFORMATION]

Immunogen: Recombinant THBS1 (Asn327~Ala478) expressed in *E.coli*.

USCN Accession No.: P90611Ra02

Sequence: The target protein is fused with N-terminal His-Tag and its sequence

is listed below.

MGHHHHHHSGSEF- NNEE WTVDSCTECH CQNSVTICKK VSCPIMPCSN ATVPDGECCP RCWPSDSADD GWSPWSEWTS CSATCGNGIQ QRGRSCDSLN NRCEGSSVQT RTCHIQECDK RFKQDGGWSH WSPWSSCSVT CGDGVITRIR LCNSPSPQMN GKPCEGEA





[ANTIBODY SPECIFITY]

The antibody is a rabbit polyclonal antibody raised against THBS1. It has been selected for its ability to recognize THBS1 in immunohistochemical staining and western blotting.

[APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200

Optimal working dilutions must be determined by end user.

[CONTENTS]

Form & Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02% Na₃N, 50% glycerol.

[QUALITY CONTROL]

Content: The quality control contains recombinant THBS1 (Asn327~Ala478) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate. 5uL per well when used in enhanced chemilumescent (ECL).

Note: The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, Na₃N 0.02%.

[STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.