

RPC580Hu01 50µg

Recombinant Lysyl Oxidase (LOX)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)

[PROPERTIES]

Residues: Pro213~Tyr417 (Accession # P28300),
with two N-terminal Tags, His-tag and GST-tag.

Host: *E. coli*

Subcellular Location: Secreted, extracellular space.

Purity: >95%

Endotoxin Level: <1.0EU per 1µg
(determined by the LAL method).

Formulation: Supplied as lyophilized form in PBS,
pH7.4, containing 1mM DTT, 5% trehalose, 0.01%
sarcosyl and preservative.

Predicted isoelectric point: 6.2


Predicted Molecular Mass: 50.7kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The target protein is fused with two N-terminal Tags, His-tag and GST-tag, its sequence is listed below.

MSPILGYWKI KGLVQPTRL LLEYLEEKYEE HLYERDEGDK WRNKKFELGL EFPNLPPYYID
GDVKLTQSMA IIRYIADKHN MLGGCPKERA EISMLEGAVL DIRYGVSRIA YSKDFETLKV
DFLSKLP EMLKMFEDRLCHK TYLNGDHVTH PDFMLYDALD VVLYMDPMCL DAFPKLVCFK
KRIEAIQID KYLKSSKYIA WPLQGWQATF GGGDHPPKSD GSTSGSGHHH HHHSAGLVPR
GSTAIGMKET AAKFERQHM DSPDLGTLEV LFQGPLGSEF-PDLVADPY YIQASTYVQK
MSMYNLRCAA EENCLASTAY RADVRDYDHR VLLRFPQRVK NQGTSDFLPS
RPRYSWEWHS CHQHYHSMDE FSHYDLLDAN TQRRVAEGHK ASFCLEDTSC
DYG YHRRFAC TAHTQGLSPG CYDTYGADID CQWIDITDVK PGNYILKVS V NPSYLVPESD
YTNNVVRCDI RYTGHHAYAS GCTISPY

[REFERENCES]

1. Haemaelaeninen E.-R., *et al.* (1991) Genomics 11:508-516.
2. Kim Y., *et al.* (1995) J. Biol. Chem. 270:7176-7182.
3. Contente S., *et al.* (1999) Mol. Cell. Biochem. 194:79-91.
4. Svinarich D.M., *et al.* (1992) J. Biol. Chem. 267:14382-14387.