

MAW803Hu21

Monoclonal Antibody to Angiopoietin Like Protein 8 (ANGPTL8)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Monoclonal antibody preparation

Host: Mouse

Antibody isotype: IgG1 Kappa

Purification: Protein A + Protein G affinity chromatography

Clone number: D3

Traits: Liquid

Concentration: 0.58mg/ml

UOM: 200µL

Cross Reactivity: Mouse; Rat

Applications: WB;

[IMMUNOGEN]

Immunogen: Recombinant ANGPTL8 (Met24~Leu196) expressed in E.coli

Accession No.: RPW803Hu01

[APPLICATIONS]

Western blotting: 0.01-2µg/mL;

Immunohistochemistry: 5-50µg/mL;

Immunocytochemistry: 5-50µg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300,

50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined

Coud-Clone Corp.

by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[IDENTIFICATION]






Figure. Western Blot; Sample: Recombinant ANGPTL8, Human.



Western Blot; Sample: Lane1: Porcine
Liver lysate; Lane2: HepG2 cell lysate;
Lane3: A549 cell lysate
Primary Ab: 2µg/ml Mouse Anti-Human
ANGPTL8 Antibody
Second Ab: 0.2µg/mL HRP-Linked
Caprine Anti-Mouse IgG Polyclonal

Antibody
(Catalog: SAA544Mu19)



DAB staining on IHC-P; Samples:
Human Liver Tissue;
Primary Ab: 40µg/ml Mouse AntiHuman ANGPTL8 Antibody
Second Ab: 2µg/mL HRP-Linked
Caprine Anti-Mouse IgG Polyclonal
Antibody (Catalog: SAA544Mu19)

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.