

MAB081Hu22

Instruction manual

Monoclonal Antibody to Heat Shock 70kDa Protein 1A (HSPA1A)

Organism Species: Homo sapiens (Human)

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PRODUCT INFORMATION]

Immunogen: HSPA1A, Human Purification: Affinity Chromatography.

Clonality: Monoclonal Applications: WB, ICC, IHC-P, IHC-F, ELISA

Clone number: D6 Concentration: 500µg/mL

Host: Mouse UOM: 200μg

Immunoglobulin Type: IgG

[IMMUNOGEN INFORMATION]

Immunogen: Recombinant HSPA1A (Met1~Asp641) with N-terminal His-Tag

expressed in E.coli.

Accession No.: RPB081Hu01

[ANTIBODY SPECIFITY]

The antibody is a mouse monoclonal antibody raised against HSPA1A. It has been selected for its ability to recognize HSPA1A in immunohistochemical staining and western blotting.

[APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200 Enzyme-linked Immunosorbent Assay: 1:100-1:5000

Optimal working dilutions must be determined by end user.



[CONTENTS]

Form & Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02% NaN₃, 50% glycerol.

[QUALITY CONTROL]

Content: The quality control contains recombinant HSPA1A (Met1~Asp641) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.

5uL per well when used in enhanced chemilumescent (ECL).


Note: The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN₃ 0.02%.

[STORAGE]

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.

[IMAGES]



Used in Western Blot, Sample:

Recombinant HSPA1A, Human