CPB224Hu22 100µg OVA Conjugated Gastrin (GT) Organism Species: Homo sapiens (Human) *Instruction manual* 

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)

#### [PROPERTIES]

Antigen: Gastrin-OVA Residues: Synthetic Peptide Predicted isoelectric point: 3.4 Predicted Molecular Mass: 1833.9Da Purity: >95% Endotoxin Level: <1.0EU per 1µg (determined by the LAL method). Formulation: Supplied as Iyophilized form in PBS, pH7.4, containing 5% trehalose, 0.01% sarcosyl. Applications: SDS-PAGE; WB; ELISA; IP. (May be suitable for use in other assays to be determined by the end user.)

## [<u>RELEVANCE</u>]

In humans, gastrin is a peptide hormone that stimulates secretion of gastric acid (HCI) by the parietal cells of the stomach and aids in gastric motility. It is released by G cells in the antrum of the stomach, duodenum, and the pancreas. In the Zollinger-Ellison syndrome, gastrin is produced at excessive levels, often by a gastrinoma (gastrin-producing tumor, mostly benign) of the duodenum or the pancreas. To investigate for hypergastrinemia (high blood levels of gastrin), a "pentagastrin test" can be performed. Plasma gastrin concentration is elevated in virtually all individuals with mucolipidosis type IV (mean 1507 pg/mL; range 400-4100 pg/mL) (normal 0-200 pg/mL) secondary to a constitutive achlorhydria. This finding facilitates the diagnosis of patients with this neurogenetic disorder.

Designed by Cloud-Clone Corp., Assembled by Uscn Life Science Inc. ISO9001:2008; ISO13485:2003 11271 Richmond Avenue Suite H104, Houston, TX 77082, USA | Toll free: 001-888-960-7402 | Fax: 001-832-538-0088 | Http://www.doud-clone.us | E-mail: mail@cloud-clone.us
Export Processing Zone Building F, Wuhan, Hubel 430056, PRC | Toll free: 0086-800-880-0687 | Fax: 0086-27-8425-9551 | Http://www.uscnk.com | E-mail: mail@uscnk.com

# 🕼 <u>Cloud-Clone Co</u>rp.

# [ <u>USAGE</u> ]

Reconstitute in sterile PBS, pH7.2-pH7.4.

#### [ STORAGE AND STABILITY ]

#### Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

### [SEQUENCES]

The synthetic peptide's sequence is listed below. WLEEEEEAYGWMDF