

PAB005Ge01

Polyclonal Antibody to 5-Hydroxyindoleacetic Acid (5-HIAA)

Organism Species: Pan-species (General)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

## Cond-Clone Corp.

## [PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.5mg/mL

**UOM:** 20µL

Cross Reactivity: N/A

Applications: ELISA, CLIA. / IHC-Fr, ICC, IP (predicted).

#### [ IMMUNOGEN ]

Immunogen: Small Molecule, 5-HIAA conjugated to OVA.

Accession No.: CPB005Ge21

#### [APPLICATIONS]

Enzyme-Linked Immune Immunosorbent: 2µg/mL;

Immunohistochemistry: 5-20µg/mL;

Immunocytochemistry: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

#### [FORMULATION]

**Form & Buffer:** Supplied as solution form in PBS, pH7.4, containing 0.02% NaN3, 50% glycerol.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no

# Cloud-Clone Corp.

obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [IDENTIFICATION]



Competitive inhibition ELISA; Coated protein:5-HIAA conjugated to BSA (Catalog:CPB005Ge11); Standard:Series Diluted 5-HIAA; Primary Ab: 2µg/ml Mouse Anti DHEA Antibody; Second Ab: 2µg/mL HRP-Linked Caprine Anti-rabbit IgG PolyclonalAntibody (Catalog: SAA544Rb19) IC50=12ng/ml

### [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.