



A83226Mu02 **Polyclonal Antibody**

To A Disintegrin And Metalloproteinase With Thrombospondin 12 (ADAMTS12)

Organism: Mus musculus (Mouse) Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

6th Edition (Revised in March, 2013)

-26kDa

Western Blot

kDa 75 50

37

25 20

15

10

[PRODUCT INFORMATION]

Immunogen: ADAMTS12. Mouse

Clonality: Polyclonal

Host: Rabbit

UOM: 100µg

Immunoglobulin Type: IqG

Purification: Affinity Chromatography. Applications: WB, ICC, IHC-P, IHC-F

Concentration: 200µg/mL

Sample: Recombinant ADAMTS12, Mouse

[IMMUNOGEN INFORMATION]

Immunogen: Recombinant ADAMTS12 (Ser1318-Arg1538) expressed in E.coli.

USCN Accession No.: P83226Mu02

Sequence: The target protein is fused with N-terminal His-Tag and its sequence is listed below.

MGHHHHHHSGS-SPA YWIVGNWSKC STTCGLGAYW RSVECSSGVD ADCTTIQRPD PAKKCHLRPC AGWRVGNWSK CSRNCSGGFK IREVQCMDSL DHHRSLRPFH CQFLAGAPPP LSMSCNLEPC GEWQVEPWSQ CSRSCGGGVQ ERGVSCPGGL CDWTKRPATT VPCNRHLCCH WATGNWELCN TSCGGGSQKR TIHCIPSENS TTEDQDQCLC DHQVKPPEFQ TCNQQACR





[ANTIBODY SPECIFITY]

The antibody is a rabbit polyclonal antibody raised against ADAMTS12. It has been selected for its ability to recognize ADAMTS12 in immunohistochemical staining and western blotting.

[APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200

Optimal working dilutions must be determined by end user.

[CONTENTS]

Form & Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02% NaN₃, 50% glycerol.

[QUALITY CONTROL]

Content: The quality control contains recombinant DKK2 (Asp159~Lys258) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate. 5uL per well when used in enhanced chemilumescent (ECL).

Note: The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN₃ 0.02%.

[STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.