



#### pA80231Ra01

# Polyclonal Antibody to Alpha-2-Glycoprotein 1, Zinc Binding (aZGP1) Organism: Rattus norvegicus (Rat)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

7th Edition (Revised in May, 2013)

Western Blot

kDa 75

50

#### [ PRODUCT INFORMATION ]

Immunogen: aZGP1, Rat

**Clonality:** Polyclonal

Host: Rabbit


**Immunoglobulin Type:** IgG

Purification: Affinity Chromatography.

Applications: WB, ICC, IHC-P, IHC-F, ELISA

Concentration: 200µg/mL

**UOM:** 100µg Sample: Recombinant aZGP1, Rat



### [ IMMUNOGEN INFORMATION ]

Immunogen: Recombinant aZGP1 (Gln18~Val296) expressed in E.coli.

**USCN Accession No.:** rP80231Ra01

Sequence: The target protein is fused with N-terminal His-Tag and its sequence

is listed below.

MGHHHHHHSGSEFELRRQ-QET GSYSLIFLYT GLSRPSKGLP RFQATAFLND QAFFHYNSNS GKAEPVEPWS HVEGMEDWEK ESQLQRAREE IFLVTLKDIM DYYEDSTGSH TFQGMFGCEI TNNRSSGAVW RYAYDGEDFI EFNKEIPAWI PLDPAAANTK LKWEAEKVYV QRAKAYLEEE CPTMLKKYLT YSRSHLDRTD PPTVKITSRV APGRNRIFRC LAYDFYPQRI SLHWNQASKKLASEPERGVF PNGNGTYLSW MEVEVPPQNR DPFVCHIEHK GLSQSLSVQW DEKSKV

Unique product Superb quality Client favorite Nicest service 🝳 ISO9001:2008; 🍳 ISO13485:2003 ;  $\zeta \in$ 





### [ANTIBODY SPECIFITY]

The antibody is a rabbit polyclonal antibody raised against aZGP1. It has been selected for its ability to recognize aZGP1 in immunohistochemical staining and western blotting.

### [APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200 Enzyme-linked Immunosorbent Assay: 1:100-200

Optimal working dilutions must be determined by end user.

### [CONTENTS]

**Form & Buffer:** Supplied as solution form in PBS, pH7.4, containing 0.02% NaN<sub>3</sub>, 50% glycerol.

### [QUALITY CONTROL]

**Content:** The quality control contains recombinant aZGP1 (Gln18~Val296) disposed in loading buffer.

**Usage:** 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.

5uL per well when used in enhanced chemilumescent (ECL).

**Note:** The quality control is specifically manufactured as the positive control. Not used for other purposes.

**Loading Buffer:** 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN<sub>3</sub> 0.02%.

## [STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.