

#### PAB603Mu02

Polyclonal Antibody to Chemokine (C-X-C Motif) Ligand 2 (CXCL2)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

# Cond-Clone Corp.

## [PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.3mg/ml

**UOM:** 100µl

Applications: WB; IHC; ICC; IP.

#### [IMMUNOGEN]

Immunogen: Recombinant CXCL2 (Ala28~Asn100) expressed in 293F cell

Accession No.: EPB603Mu51

#### [APPLICATIONS]

Western blotting: 0.5-2µg/mL;1:150-600

Immunohistochemistry: 5-20µg/mL;1:15-60

Immunocytochemistry: 5-20µg/mL;1:15-60

Optimal working dilutions must be determined by end user.

#### [FORMULATION]

Form & Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02% NaN3, 50%

glycerol.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.

Aliquot and store at -20°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the



expiration date under appropriate storage condition.

### [ IDENTIFICATION ]




Figure. Western Blot; Sample: Recombinant CXCL2, Mouse.

# [<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.