



#### pA93431Mu01 Polyclonal Antibody to Myosin IB (MYO1B) **Organism: Mus musculus (Mouse)** Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

7th Edition (Revised in May, 2013)

-32kDa

Western Blot

kDa 75

50 37

25

20

15

10

# [ PRODUCT INFORMATION ]

Immunogen: MYO1B, Mouse


**Clonality:** Polyclonal

Host: Rabbit

**Immunoglobulin Type:** IgG

**Purification:** Affinity Chromatography.

Sample: Recombinant MYO1B, Mouse



#### [ IMMUNOGEN INFORMATION ]

Immunogen: Recombinant MYO1B (Cys779~His1040) expressed in E.coli.

USCN Accession No.: rP93431Mu01

**Sequence:** The target protein is fused with N-terminal His-Tag and its sequence

is listed below.

MGHHHHHHSGS-CK EAATTIAAYW HGTQARRELK RLKEEARRKH AVAVIWAYWL GLKVRREYRK FFRANAGKKI YEFTLQRIVQ KYLLEMKNKM PSLSPIDKNW PSRPYLFLDS THKELKRIFH LWRCKKYRDQ FTDQQKLIYE EKLEASELFK DKKALYPSSV GQPFQGAYLE INKNPKYKKL KDAIEEKIII AEVVNKINRA NGKSTSRIFL LTNNNLLLAD QKSGQIKSEV PLVDVTKVSM SSQNDGFFAV HLKEGSEAAS KGDFLFSSDH





### [ANTIBODY SPECIFITY]

The antibody is a rabbit polyclonal antibody raised against MYO1B. It has been selected for its ability to recognize MYO1B in immunohistochemical staining and western blotting.

## [APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200 Enzyme-linked Immunosorbent Assay: 1:100-200

Optimal working dilutions must be determined by end user.

### [CONTENTS]

**Form & Buffer:** Supplied as solution form in PBS, pH7.4, containing 0.02% NaN<sub>3</sub>, 50% glycerol.

### [QUALITY CONTROL]

**Content:** The quality control contains recombinant MYO1B (Cys779~His1040) disposed in loading buffer.

**Usage:** 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.

5uL per well when used in enhanced chemilumescent (ECL).

**Note:** The quality control is specifically manufactured as the positive control. Not used for other purposes.

**Loading Buffer:** 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN<sub>3</sub> 0.02%.

## [STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.