

RPB697Mu01 1mg

Recombinant Alpha-1-Antitrypsin (a1AT)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



# [PROPERTIES]

**Source:** Prokaryotic expression

Host: E.coli

Residues: Glu25~Lys413

Tags: N-terminal His Tag

Subcellular Location: Secreted

**Purity:** > 80%

Traits: Freeze-dried powder

**Buffer formulation:** PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 400µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.7

Predicted Molecular Mass: 45.0kDa

Accurate Molecular Mass: 45&12kDa as determined by SDS-PAGE reducing conditions.

### [USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [STORAGE AND STABILITY]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

# [ SEQUENCE ]

```
EDVQET DTSQKDQSPA SHEIATNLGD
FAISLYRELV HQSNTSNIFF SPVSIATAFA MLSLGSKGDT HTQILEGLQF
NLTQTSEADI HKSFQHLLQT LNRPDSELQL STGNGLFVNN DLKLVEKFLE
EAKNHYQAEV FSVNFAESEE AKKVINDFVE KGTQGKIAEA VKKLDQDTVF
ALANYILFKG KWKKPFDPEN TEEAEFHVDE STTVKVPMMT LSGMLHVHHC
STLSSWVLLM DYAGNATAVF LLPDDGKMQH LEQTLSKELI SKFLLNRRRR
LAQIHFPRLS ISGEYNLKTL MSPLGITRIF NNGADLSGIT EENAPLKLSQ
AVHKAVLTID ETGTEAAAVT VLQMVPMSMP PILRFDHPFL FIIFEEHTQS
PIFLGKVVDP THK
```

## [ IDENTIFICATION ]




Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

## [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.