

RPB592Hu03 10µg

Recombinant Caspase 1 (CASP1)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Asn120~His404

Tags: N-terminal His Tag

Subcellular Location: Membrane, Cytoplasm

Purity: > 80%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose .

Original Concentration: 500µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.3

Predicted Molecular Mass: 35.7kDa

Accurate Molecular Mass: 38/22kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in ddH₂O to a concentration of 0.1-0.25 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.


Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

```
N PAMPTSSGSE GNVKLCSLEE AQRIWKQKSA
EIYPIMDKSS RTRLALIICN EEFDSIPRRT GAEVDITGMT MLLQNLGYSV
DVKKNLTASD MTTELEAFAH RPEHKTSDST FLVFMSHGIR EGICGKKHSE
QVPDILQLNA IFNMLNTKNC PSLKDKPKVI IIQACRGDSP GVVWFKDSVG
VSGNLSLPTT EEFEDDAIKK AHIEKDFIAF CSSTPDNVSW RHPTMGSVFI
GRLIEHMQEY ACSCDVEEIF RKVRFSFEQP DGRAQMPTTE RVTLTRCFYL
FPGH
```

[IDENTIFICATION]



GAATT CAACCAG CTATGC CCACATC CT CAGGCT CAGAAGGGAAT GT CAA GCTTTGCT CCCTAGAAGAAGCT CAAAGGATAT GGAAACAAAA GT CGGCAGAGATTTAT CCAAAAT GGACAAGT CAAGC

Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.