

RPA861Hu01 10μg Recombinant Complement Component 3 (C3) Organism Species: *Homo sapiens (Human) Instruction manual* 

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

# Coud-Clone Corp.

## [PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Leu1000~Glu1326

Tags: N-terminal His Tag

Subcellular Location: Secreted

**Purity:** > 97%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% skl, 5%Trehalose.

Original Concentration: 150µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.0

Predicted Molecular Mass: 43.4kDa

Accurate Molecular Mass: 43kDa as determined by SDS-PAGE reducing conditions.

#### [ <u>USAGE</u> ]

Reconstitute in  $ddH_2O$  to a concentration ?0.1mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

#### [SEQUENCE]

# Cond-Clone Corp.

L KHLIVTPSGC GEQNMIGMTP TVIAVHYLDE TEQWEKFGLE KRQGALELIK KGYTQQLAFR QPSSAFAAFV KRAPSTWLTA YVVKVFSLAV NLIAIDSQVL CGAVKWLILE KQKPDGVFQE DAPVIHQEMI GGLRNNNEKD MALTAFVLIS LQEAKDICEE QVNSLPGSIT KAGDFLEANY MNLQRSYTVA IAGYALAQMG RLKGPLLNKF LTTAKDKNRW EDPGKQLYNV EATSYALLAL LQLKDFDFVP PVVRWLNEQR YYGGGYGSTQ ATFMVFQALA QYQKDAPDHQ ELNLDVSLQL PSRSSKITHR IHWESASLLR SEETKE

# [IDENTIFICATION]




Figure. Gene Sequencing (Extract)




Figure. SDS-PAGE

## [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.