

**RPU491Hu01 100µg**

**Recombinant Dynein Heavy Chain Domain Containing Protein 1 (DNHD1)**

**Organism Species: *Homo sapiens (Human)***

***Instruction manual***

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

---

13th Edition (Revised in Aug, 2023)

**[ PROPERTIES ]**

**Source:** Prokaryotic expression

**Host:** *E.coli*

**Residues:** Met1~Pro302

**Tags:** N-terminal His and GST Tag

**Subcellular Location:** Secreted, Extracellular matrix

**Purity:** > 97%

**Traits:** Freeze-dried powder

**Buffer formulation:** PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

**Original Concentration:** 200µg/mL

**Applications:** Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

**Predicted isoelectric point:** 5.51

**Predicted Molecular Mass:** 64.1kDa

**Accurate Molecular Mass:** 64kDa as determined by SDS-PAGE reducing conditions.

**[ USAGE ]**

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

**[ STORAGE AND STABILITY ]**

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.


Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

**[ SEQUENCE ]**

```
MVPEERRVGL SDETSSDSL KSWHSICVLD SKEQPLACQQ KQRQFVKPVT
ESEQPTVLEL LLAELRTLFS AVLQDSSPAA WRYLHAVLGL LPPYRELLVG
HLDLLPFLEQ LYCWAPVWQT HLHLDLLGAI VQAFPPDSSL LDSASHADCC
PQKRRLHHRP PCPACPFVQA QWSRQQVKEE LATWLRPLTL PELQRCLGIV
GAQVALEEAV WLDGLSLLPL ALAADIPVRY ESSDTDNAEV EPVGRKETRS
QLDYEVPREK AFQKSSTGFS PETSFLDSQV MTALKMERYL KKIHFYLYNV
AP
```

**[ IDENTIFICATION ]**



**[ IMPORTANT NOTE ]**

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.