

RPB215Hu01 10μg Recombinant Fibrinogen Beta Chain (FGB) Organism Species: *Homo sapiens (Human) Instruction manual*

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

Coud-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression Host: *E.coli* Residues: Gly45~Gln491 Tags: N-terminal His Tag Subcellular Location: Secreted Purity: > 90% Traits: Freeze-dried powder Buffer formulation: PBS, pH7.4, containing 0.01% Sarcosyl, 5% Trehalose. Original Concentration: 900µg/mL Applications: Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 7.6 Predicted Molecular Mass: 52.0kDa

Accurate Molecular Mass: 52kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

Cond-Clone Corp.

GHRPLD

KKREEAPSLR	PAPPPISGGG	YRARPAKAAA	TQKKVERKAP	DAGGCLHADP
DLGVLCPTGC	QLQEALLQQE	RPIRNSVDEL	NNNVEAVSQT	SSSSFQYMYL
LKDLWQKRQK	QVKDNENVVN	EYSSELEKHQ	LYIDETVNSN	IPTNLRVLRS
ILENLRSKIQ	KLESDVSAQM	EYCRTPCTVS	CNIPVVSGKE	CEEIIRKGGE
TSEMYLIQPD	SSVKPYRVYC	DMNTENGGWT	VIQNRQDGSV	DFGRKWDPYK
QGFGNVATNT	DGKNYCGLPG	EYWLGNDKIS	QLTRMGPTEL	LIEMEDWKGD
KVKAHYGGFT	VQNEANKYQI	SVNKYRGTAG	NALMDGASQL	MGENRTMTIH
NGMFFSTYDR	DNDGWLTSDP	RKQCSKEDGG	GWWYNRCHAA	NPNGRYYWGG
QYTWDMAKHG	TDDGVVWMNW	KGSWYSMRKM	SMKIRPFFPQ	Q

[IDENTIFICATION]





Figure . Gene Sequencing (extract)



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.