

**RPB941Hu01 10µg**

**Recombinant Immunoglobulin D (IgD)**

**Organism Species: *Homo sapiens* (Human)**

***Instruction manual***

**FOR RESEARCH USE ONLY**

**NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES**

---

13th Edition (Revised in Aug, 2023)

## **[ PROPERTIES ]**

**Source:** Prokaryotic expression

**Host:** *E.coli*

**Residues:** Pro2~Lys384

**Tags:** N-terminal His Tag

**Subcellular Location:** Membrane, Secreted

**Purity:** > 80%

**Traits:** Freeze-dried powder

**Buffer formulation:** PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

**Original Concentration:** 80µg/mL

**Applications:** Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

**Predicted isoelectric point:** 8.2

**Predicted Molecular Mass:** 45.9kDa

**Accurate Molecular Mass:** 46kDa as determined by SDS-PAGE reducing conditions.

## **[ USAGE ]**

Reconstitute in ddH<sub>2</sub>O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

## **[ STORAGE AND STABILITY ]**

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## **[ SEQUENCE ]**

PTKAPDVFP IISGCRHPKD NSPVVLACLI TGYHPTSVTV TWYMGTSQSP  
 QRTFPEIQRR DSYMTSSQL STPLQQWRQG EYKCVVQHTA SKSKKEIFRW  
 PESPKAQASS VPTAQPAEG SLAKATTAPA TTRNTGRGGE EKKKEKEKEE  
 QEERETKTPE CPSHTQPLGV YLLTPAVQDL WLRDKATFTC FVVGSDLKDA  
 HLTWEVAGKV PTGGVEEGLL ERHSNGSQSQ HSRLTLPRSL WNAGTSVTCT  
 LNHPSLPPQR LMALEPAAQ APVKLSLNL ASSDPPEAAS WLLCEVSGFS  
 PPNILLMWLE DQREVNTSGF APARPPPQPR STTFWAWSVL RVPAPPSPQP  
 ATYTCVVSHE DSRTLLNASR SLEVSIVTDH GPMK

## [ IDENTIFICATION ]




Figure. SDS-PAGE

## [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.