

RPD350Mu01 100ug Recombinant Interleukin 17 Receptor C (IL17RC) Organism Species: *Mus musculus (Mouse) Instruction manual*

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

Coud-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression Host: *E.coli* Residues: Arg73-Phe330 (Accession # Q8K4C2) Tags: N-terminal His Tag Subcellular Location: Membrane Purity: > 97% Traits: Freeze-dried powder Buffer formulation: pH7.4, containing 0.01% SKL, 5% Trehalose Original Concentration: 200µg/mL Applications: Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 5.37 Predicted Molecular Mass: 30.1kDa Accurate Molecular Mass: 27kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

Cond-Clone Corp.

RCPQKTDC ALCVRVVVHL AVHGHWAEPE EAGKSDSELQ ESRNASLQAQ VVLSFQAYPI ARCALLEVQV PADLVQPGQS VGSAVFDCFE ASLGAEVQIW SYTKPRYQKE LNLTQQLPDG DNVLLTLDVS EEQDFSFLLY LRPVPDALKS LWYKNLTGPQ NITLNHTDLV PCLCIQVWSL EPDSERVEFC PFREDPGAHR NLWHIARLRV LSPGVWQLDA PCCLPGKVTL CWQAPDQSPC QPLVPPVPQK NATVNEPQDF

[IDENTIFICATION]



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.