

RPC044Bo01 10µg

Recombinant Liver X Receptor Alpha (LXRa)

Organism Species: Bos taurus; Bovine (Cattle)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

11th Edition (Revised in May, 2016)

[PROPERTIES]

Source: Prokaryotic expression.

Host: E. coli

Residues: Asn95~Lys434 Tags: N-terminal His-Tag Tissue Specificity: Liver.

Subcellular Location: Nucleus.

Purity: >99%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% sarcosyl, 5%Trehalose and Proclin300.

Original Concentration: 200ug/mL

Applications: SDS-PAGE; WB; ELISA; IP; CoIP; Purification; Amine Reactive

Labeling.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 8.6

Predicted Molecular Mass: 42.8kDa

Accurate Molecular Mass: 41kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

CGDKASGFHY NVLSCEGCKG FFRRSVIKGA RYVCHSGGHC PMDTYMRRKC QECRLRKCRQ AGMREECVLS EEQIRLKKMK RQEEEQAQAT SAPPRASSPP QVLPQLSPEQ LGMIEKLVAA QQLCNRRSFS DQLRVTPWPM APDPQSREAR QQRFAHFTEL AIVSVQEIVD FAKQLPGFLQ LSREDQIALL KTSAIEVMLL ETSRRYNPGS ESITFLKDFS YNREDFAKAG LQVEFINPIF EFSRAMNELQ LNDAEFALLI AISIFSADRP NVQDQLQVER LQHTYVEALH AYVSIHHPHD RLMFPRMLMK LVSLRTLSSV HSEQVFALRL QDKK

[IDENTIFICATION]




Figure 1. SDS-PAGE