

RPA949Hu01 50µg

Recombinant Signal Regulatory Protein Beta 1 (SIRPb1)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Ser127~Gly356

Tags: Two N-terminal Tags, His-tag and T7-tag

Accession: O00241

Host: *E. coli*

Subcellular Location: Membrane; Single-pass type I membrane protein.

Purity: >95%

Endotoxin Level: <1.0EU per 1µg
(determined by the LAL method).


Formulation: Supplied as lyophilized form in 100mM NaHCO₃, 500mM NaCl, pH8.3, containing 1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5% trehalose, and preservative.

Predicted isoelectric point: 6.0

Predicted Molecular Mass: 29.0kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)



[USAGE]

Reconstitute in sterile ddH₂O.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

SPDD VEFKSGAGTE LSVRAKPSAP VVSGPAVRAT PEHTVSFTCE SHGFSPRDIT
LKWFKNGNEL SDFQTNVDPA GDSVSYSIHS TARVVLTRGD VHSQVICEIA HITLQGDPLR
GTANLSEAIR VPPTLEVTQQ PMRAENQANV TCQVSNFYPR GLQLTWLENG NVSRTETAST
LIENKDGTYN WMSWLLVNTC AHRDDVVLTC QVEHDGQQAV SKSYALEISA HQKEHG

[REFERENCES]

1. Kharitonov A., *et al.* (1997) Nature 386:181-186.
2. Tomasello E., *et al.* (2000) Eur. J. Immunol. 30:2147-2156.
3. Dietrich J., *et al.* (2000) J. Immunol. 164:9-12.
4. Liu Y., *et al.* (2005) J. Biol. Chem. 280:36132-36140.