

RPA827Mu01 10µg Recombinant Tumor Necrosis Factor Ligand Superfamily, Member 14 (TNFSF14) Organism Species: *Mus musculus (Mouse) Instruction manual* 

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

# Coud-Clone Corp.

## [PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Thr51~Val239

Tags: N-terminal His Tag

Subcellular Location: Membrane, Secreted

**Purity:** > 90%

Traits: Freeze-dried powder

Buffer formulation: 100mMNaHCO<sub>3</sub>, 500mMNaCl, pH8.3, containing 0.01% Sarcosyl, 5%

Trehalose.

Original Concentration: 300µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.8

Predicted Molecular Mass: 27.5kDa

Accurate Molecular Mass: 26kDa as determined by SDS-PAGE reducing conditions.

#### [USAGE]

Reconstitute in  $ddH_2O$  to a concentration of 0.1-0.3 mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.


Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


### [<u>SEQUENCE</u>]

# Cloud-Clone Corp.

TQGWFLLRLH QRLGDIVAHL PDGGKGSWEK LIQDQRSHQA NPAAHLTGAN ASLIGIGGPL LWETRLGLAF LRGLTYHDGA LVTMEPGYYY VYSKVQLSGV GCPQGLANGL PITHGLYKRT SRYPKELELL VSRRSPCGRA NSSRVWWDSS FLGGVVHLEA GEEVVVRVPG NRLVRPRDGT RSYFGAFMV



#### Figure. Gene Sequencing (Extract)



### [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.